



TRUCK & BUS TYRES
CATALOGUE 2016

ECOSMART12

LONG HAUL ROAD STEER



- Designed for long haul usage with wear-resistant tread properties.
- Solid shoulder design for longer-lasting usage.
- Excellent steer response.
- Four longitudinal channels with stone ejection properties.

SIZE	PR	LI/SI			
11R22.5	16PR	146/143M	D	E	72 (D)
215/75R17.5	18PR	135/133J	D	E	72 (D)
215/75R17.5	16PR	126/124M	D	E	72 (D)
235/75R17.5	16PR	132/130M	D	E	72 (D)
235/75R17.5	18PR	143/141J	D	E	72 (D)
225/70R19.5	14PR	128/126M	D	E	72 (D)
245/70R19.5	16PR	136/134M	D	E	72 (D)
255/70R22.5	16PR	140/137M	D	E	72 (D)
265/70R19.5	16PR	140/138M	D	E	72 (D)
275/70R22.5	18PR	148/145M	D	E	72 (D)

ECOSMART62

REGIONAL ROAD STEER



- Fuel efficient tyre with lower rolling resistance characteristics.
- Excellent traction and wet weather handling.
- Optimised tread design and tread depth for long-life properties.

SIZE	PR	LI/SI			
11R22.5	16PR	146/143M	C	C	72 (D)
12R22.5	18PR	152/149M	C	C	72 (D)
275/80R22.5	16PR	149/146M	C	C	72 (D)
295/80R22.5	18PR	152/149M	C	C	72 (D)
315/80R22.5	20PR	156/150M	C	C	72 (D)
315/70R22.5	18PR	152/148M	C	C	72 (D)
295/60R22.5	18PR	150/147M	C	C	72 (D)
315/60R22.5	18PR	154/148M	C	C	72 (D)

ECOSMART66

REGIONAL ROAD STEER/TRAILER



- Designed for ride comfort and superior handling.
- No compromise on tyre life and durability with irregular wear resistance.
- Optimised for trailer fitment.
- Fuel efficient tread compound for lower rolling resistance.

SIZE	PR	LI/SI			
385/65R22.5	20PR	160K	B	C	73 (D)
425/65R22.5*		165K		In preparation	
445/65R22.5*		169K		In preparation	
385/55R22.5	20PR	160K(158L)	B	C	73 (D)
435/50R19.5*				In preparation	
445/45R19.5*	20PR	160J		In preparation	

*In preparation

ECOSMART78

REGIONAL ROAD STEER



- Fuel efficient drive tyre.
- Excellent traction and wet weather performance.
- Delivers high mileage results for general regional applications.

SIZE	PR	LI/SI			
11R22.5	16PR	146/143M	E	E	73 (D)
12R22.5	18PR	152/149M	E	E	73 (D)
275/80R22.5	16PR	149/146M	E	E	73 (D)
295/80R22.5	18PR	152/149M	E	E	73 (D)
315/80R22.5	20PR	156/150M	E	E	73 (D)
215/75R17.5	16PR	126/124M	E	E	73 (D)
215/75R17.5	18PR	135/133J	E	E	73 (D)
235/75R17.5	16PR	132/130M	E	E	73 (D)
235/75R17.5	18PR	143/141J	E	E	73 (D)
225/70R19.5	14PR	128/126M	E	E	73 (D)
245/70R19.5	16PR	136/134M	E	E	73 (D)
265/70R19.5	16PR	140/138M	E	E	73 (D)
315/70R22.5	18PR	152/148M	E	E	73 (D)

ECOSMART79



REGIONAL,ON AND OFF ROAD

DRIVE

- Excellent traction results for drive tyre applications.
- Good resistance to irregular tread wear.
- Delivers high mileage results for general regional applications.

SIZE	PR	LI/SI			
13R22.5*	18PR	156/150L	In preparation		
315/80R22.5*	20PR	156/150M	In preparation		

*In preparation

ECOSMART81



REGIONAL,ON AND OFF ROAD

STEER/TRAILER

- Unique belt construction combined with heat-resistant tread compound for long life and improved traction.
- 'S' groove design to reduce tread wear and improve wet handling.
- Outstanding higher speed performance.
- Multi-position general usage tyre for a variety of road conditions.

SIZE	PR	LI/SI			
11R22.5*	16PR	146/143M	In preparation		
11R22.5*	18PR	148/145M	In preparation		
12R22.5*	18PR	152/149M	In preparation		
13R22.5*	18PR	156/150L	In preparation		
315/80R22.5*	20PR	156/150M	In preparation		
12.00R24*	20PR	160/157K	In preparation		

*In preparation

ECOSMART82

REGIONAL,ON AND OFF ROAD

DRIVE

ECOSMART92

MEDIUM AND LONG DISTANCE

STEER/TRAILER

ECOSMART97

MEDIUM AND LONG DISTANCE

STEER/TRAILER

ECOSMART98

REGIONAL ROAD

TRAILER

SIZE	PR	LI/SI			
12.00R24*	20PR	160/157K	In preparation		
12.00R24*	20PR	160/157K	In preparation		
12.00R24*	20PR	160/157K	In preparation		
12.00R24*	20PR	160/157K	In preparation		



Zenises Ltd.
Kingsbury House - 468 Church Lane
Kingsbury - London NW9 8UA
Tel: +44 (0) 20 8200 2344
europe@zenises.com